Sharon Boren • Larry Hovey • Kathleen Hovey

# An ATARI<sup>®</sup> In The Classroom

# **Activity Workbook**

000



# An ATARI® in



# the Classroom

# An ATARI® in the Classroom Activity Workbook

# Sharon Boren Larry Hovey Kathleen Hovey



An ATARI in the Classroom Activity Workbook is part of a three-book set. As a workbook, it is not eligible to be catalogued by the Library of Congress. The following data applies to An ATARI for Kids, the principle text in the set.

#### Library of Congress Cataloging in Publication Data

Boren, Sharon, 1956– An Atari for kids.

Includes index.

Summary: Teaches beginning programmers how to program the Atari or other microcomputers in the BASIC computer language.

1. Atari computer — Programming — Juvenile literature. 2. BASIC (Computer program language) — Juvenile literature.

(1. Atari computer — Programming. 2. Microcomputers — Programming. 3. BASIC (Computer program language) 4. Programming (Computers) 5. Computers) I. Hovey, Larry. II. Hovey, Kathleen. III. Title.

QA76.8.A82B67 1984 001.64'2

83-25269

ISBN 0-88056-123-8 (pbk.)

<sup>©</sup>1984 by dilithium Press. All rights reserved.

No part of this book may be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or by any information storage and retrieval system without permission in writing from the publisher, with the following exceptions: any material may be copied or transcribed for the nonprofit use of the purchaser, and material (not to exceed 300 words and one figure) may be quoted in published reviews of this book.

Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any material herein for a base fee of \$1.00 and an additional fee of \$0.20 per page. Payments should be sent directly to the Copyright Clearance Center, 21 Congress Street, Salem, Massachusetts 01970.

10 9 8 7 6 5 4 3 2 1

Library of Congress Cataloging in Publication Data

Printed in the United States of America

dilithium Press 8285 S.W. Nimbus Suite 151 Beaverton, Oregon 97005-6401

# **TABLE OF CONTENTS**

Exploring ATARI's Keyboard #1–#7	1
Component 1 Fun Page	10
Programming Your ATARI #1-#5	12
Programmer's Pastime #1-#4	18
Component 2 Fun Page	24
Programmer's Pastime #5–#18	26
Component 3 Fun Page	49
Programmer's Pastime #19–#28	51
Component 4 Fun Page	64
Programmer's Pastime #29	66
Component 5 Fun Page	89
Programmer's Pastime #38–#53	91
Component 6 Fun Page	134
Programmer's Pastime #54–#71	136
Component 7 Fun Page	178

### **KEYBOARD ILLUSTRATIONS**



**ATARI 800** 



ATARI XL



Take a few minutes to explore ATARI's keyboard. Press single keys, and keys while SHIFT CTRL are being held down, and see what happens. (The keys on the far right row are for commercial programs. Do not press them.)

Finish drawing the key or keys that must be pressed to get ATARI to type what is shown on the screen at the right. Check your answers by using ATARI.



- 1. Turn ATARI on.
- 2. Press RETURN . What did the cursor do?\_\_\_\_\_
- 3. Press SPACE (It's the long, unlabeled bar at the bottom.) What did the cursor do this time?
- 4. Press shift and clear together. What did the cursor do?
- 5. Type your name (first, middle, and last).
- 6. Hold  $\Box R = and press$   $\overset{\leftarrow}{+}$  five times.

Which way did the cursor move?

Did anything happen to the writing on the screen?

Now you know how to move the cursor around the screen without erasing any of the writing.

7. Hold [CTRL] and press the various cursor control keys (those with arrows  $\begin{bmatrix} t \\ - \end{bmatrix} \begin{bmatrix} t \\$ 

Notice how the cursor moves around the screen without changing the writing.

8. Use the and cursor control keys (with arrows) to move the cursor to the first letter of your middle name.



9. Press the space bar two times. What happened?

\_\_\_\_\_

- 10. Press the BACKS key five times. What happened?
- 11. Hold shift while pressing . What happened?



Finish drawing the key (or keys) that must be pressed to get ATARI to perform each special function.







1	. Turn ATARI on.
2	. Type I LIKE YOU ATARI.
3	. Press DELETE five times.
	What happened?
4	. Hold shift and press is five times.
	What happened?
5	. Hold SHIFT and press DELETE BACKS five times.
	What happened?
6	$\cdot$ Hold shift and press $\subset$ .
	What happened?
7	. Type I LOVE YOU ATARI.
8	. Hold $\Box TRL$ and press $\begin{bmatrix} - \\ + \end{bmatrix}$ until the cursor is on
	the Y of YOU.
<b>9</b>	. Hold CTRL and press DELETE BACKS four times.
/ <b>L</b>	What happened?
	. Hold $[]$ and press $[]$ four times.
$\gamma \gamma \gamma \langle \gamma \rangle \langle \gamma $	What happened?
	. Type YOU back in the new space.
	If you have time, try typing some lines of your
43	own, and use the various keys to do some
	screen editing.

#### Quick Review

Tell what happens when these keys are pressed:





#### **Mine the Diamonds** created by Wendy Cheldelin

- 1. Turn ATARI on.
- 2. Clear the screen.
- 3. Press [TRL] and hold it down. Press the P key 5 times.
- 4. Press and hold it down. Now press the key once. There should be 5 "rocks" and l "diamond" on your screen.
- 5. On the same line, make 4 or 5 more rocks followed by 1 diamond until the line is filled and the cursor has moved to the line below.
- 6. Fill one more line with rocks and diamonds.
- 7. Now the challenge begins! Mine the diamonds by erasing all of the rocks. Be careful! Don't erase any diamonds.



#### **Design Your Own Game!**

1. Design a game that requires some understanding of ATARI's keyboard. Write clear directions on how to play your game in the space below.

2. Ask a friend to play your game!

# **COMPONENT 1 FUN PAGE**



#### down

- 1. The language that ATARI speaks.
- 2. What type of computer is ATARI?
- 3. What is another word for ``erase''?
- 4. We must always press this key when we are done typing a line.
- 5. Hold this key down as you press another key and ATARI will print the symbol at the top or front of the key.
- 6. The set of directions a computer uses.

#### acioss

- 7. Symbols used to make pictures and borders.
- 8. Something that both a computer and a typewriter have.
- 9. The part of ATARI that shows what is typed.
- 10. Always press this key between words and numbers that you type.
- 11. The space it takes to store one letter in ATARI's memory.

- 12. What is another word for ``add''?
- 13. The white square that shows you where ATARI will type next on the screen.
- 14. Means "record".
- 15. The place where ATARI remembers programs.

#### **Evaluate Yourself**

\_\_\_\_

- 1. In component 1, I did \_\_\_\_\_\_ because \_\_\_\_\_
- 2. Component l was\_
- 3. Tell about the good parts of the component:
- 4. Tell about the bad parts of the component:

# **PROGRAMMING YOUR ATARI #1**



#### Speak

1. Write a program that tells ATARI to print.

COMPUTER PROGRAMMING IS FUN!

- 2. Make sure each line of your program begins with a line number.
- 3. Check your program to make sure there are no mistakes.
- 4. RUN your program on the computer.

#### Use this format





# **PROGRAMMING YOUR ATARI #2**

#### Speaking Nonstop

- 1. Write a program that tells ATARI to print your name over and over again!
- 2. RUN your program on ATARI.

#### Use this format

10 PRINT `` '' (Type your name inside the quotes.)
20 GOTO 10





# PROGRAMMING YOUR ATARI #3)

#### **Top-Secret**

- Your mission is to write a program that tells ATARI to print a top-secret message in a secret code. Use the graphic symbols on the keys as your code. For example, if we wanted a word in our message to say SAW, the code would be + + + + because these graphic symbols appear on the S, A, and W keys.
- 2. Give your program to a friend. Have your friend RUN it on ATARI and try to decode the secret message.

Your success as a secret agent depends on this program. Good luck! (This page will self-destruct in two days if your program is not finished.)





# **PROGRAMMING YOUR ATARI #4**

#### Computer Art

- 1. Write a program that tells ATARI to print a design using graphic symbols.
- 2. Make it so that your design will be printed over and over on the screen.
- 3. RUN the program on ATARI.





# **PROGRAMMING YOUR ATARI #5**

#### Shuttle Launch

- You can program ATARI to make moving pictures by using these five features: line numbers
   PRINT statements
   quotation marks
   GOTO statement
   graphic symbols
- 2. Use the format below to create a program that launches a rocket.
- 3. RUN the program on ATARI.

#### Use this format



**NOTE:** It is important to leave lines 120 and 130 blank inside the quotation marks so the rockets are spaced out when they move on the screen.



You may have more than 140 lines in your program.

Write the symbol that ATARI uses for each arithmetic operation.

addition	 multiplication	
powers	 subtraction	
division	 square root	

How would you type each equation to get answers from ATARI?

1.	457+99×6	
2.	$\sqrt{64}$	
3.	$26 \div 2^2$	
4.	$777 \times 555 \div 222$	
5.	8 <sup>3</sup> -16	
6.	$\sqrt{22} \div 88$	
7.	$\sqrt{49} + 765$	
8.	$98 + 88 \times 66 \div 2^4$	

Show how you would type the equations above using only one PRINT (?) statement.



What order does ATARI follow in doing arithmetic for equations with many numbers,

are done first. are done second. are done third (left to right). are done last (left to right).

Use your mental powers and write the answers that ATARI would give for these equations. Remember to do the arithmetic in the same order that ATARI would!

1. 2*3+1	
2. 2+8*2*1	
3. 3*3+9+20	
4. 11+4*3	
5. 22+8+12*1	

Try some more.



Use your mental powers and write the answer ATARI would give for these equations.

l. 4*4+6/2	
2. 8/4+3*3	
$3.\ 20 - (4 + 5 * 2) + 15$	
4. 6+14/7*5	
5. (9/3-2)*(7*2+4)	
6. (7+2-4+6*1)/1	

#### **POWER!**

Powers are also called EXPONENTS. Read the following examples and figure out how powers work.

- l.  $10 \land l = 10 * l = 10$
- 2.  $10 \land 2 = 10 * 10 = 100$
- 3.  $10 \land 3 = 10 * 10 * 10 = 1000$

Try some more:

- $l \cdot 2 \wedge l = 2 * l = 2$
- 2. 2∧2=2\*2=4
- 3. 2\lambda 3=2\*2\*2=8
- 4. 2\4=2\*2\*2\*2=16

Identify the powers by filling in the blanks:

- l. 3^l=\_\_\_\_\_
- 2. 3\2=\_\_\_\_\_\_=\_\_\_\_
- 3. 3^3=\_\_\_\_\_=
- 4. 3\4=\_\_\_\_\_\_=

Now try these:

- l. 4^l=\_\_\_\_\_=
- 2. 4\lambda 2=\_\_\_\_\_=\_\_\_\_=\_\_\_\_\_=\_\_\_\_\_
- 4. 4\4=\_\_\_\_\_=

#### CHALLENGE

l. 2∧4*5	
2. 5*2^4	
3. 7+3∧2	
4. 5∧2−13	
5. 100/10^2	
6. 12∧2−5∗10	
7. 8∧2*(4+5)	
8. 200−(6+3∧3)+7	

(REMEMBER—If you check these on the computer, ATARI gives a slightly inaccurate answer when working with powers.)

In each of the following equations, put a 1 under the part the computer would do first, a 2 under the second part it would do, and so on.

**Example:**  $82+72/2-(4+22)+9 \land 3$ <u>4</u> <u>3</u> <u>5</u> <u>1</u> <u>6</u> <u>2</u> 1.  $3000-(13-6*4)+8 \land 3+9$ 2.  $900/7 \land 2+(16-9 \land 4) \land 3$ 



Cowboy Clyde typed in the following equations, but ATARI wouldn't give him answers. Do you know why?

Find out what's wrong with the way his equations are typed. Write the correct way in the blanks.

- 1.  $?62+4 \times 20$
- 2. 23/4\*6
- 3. ? SQR 16
- 4.  $80/4 + 2 \times 3 \times SQR 25$

#### CHALLENGE

If there's some arithmetic in a long equation that you want to be done *first*, put parentheses around it. (ATARI always does what's in parentheses first.)Let's say you want 4+3\*2 to equal 14. If you type: 4+3\*2 ATARI will give you 10 because multiplication is done before addition. So it becomes 4+6 which equals 10.

If you want 4+3\*2 to equal 14, you must use parentheses like this: (4+3)\*2.

first

7\*2=14

Rewrite each equation below and put parentheses around what ATARI should do first in order to make the equation TRUE. HINT: You might have to use *two* sets of parentheses for some equations.

<b>Example:</b> 7*3+2=35	7*(3+2)=35
1. $9/2 + 1 = 3$	
2. 6*2+2=24 3. 3∧3−1=9	
4. $4+2-1*5=9$	
5. $12-3+6/3=9$ 6. $20-10\wedge4+2=10002$	
7. $12/4+2=2$	
8. $9-5\wedge2=16$	
9. 50+10/18+10+2=2 *10. 10+4−7∧2*1+3−3=193	

An \* means it's an extra tough problem!



# **COMPONENT 2 FUN PAGE**



	Word Bank
COMMAS DIRECT END LINE NEW NUMBER	PARENTHESES POWERS PRINT QUESTION QUOTATION RETURN RUN (2)

#### Down

- 3. Type the \_\_\_\_\_ command when you want to see ATARI do a trick or run a program.
- 5. Which command do you type when you want to clear ATARI's memory or do something new?
- 7. Which statement in a program tells ATARI that your program has ended?
- 9. Which program statement tells ATARI to write something?
- In a long equation, ATARI does the operation in \_\_\_\_\_\_ first.
- 2. Which command do you type when ATARI is finished loading a game and ready to play?
- 4. Put \_\_\_\_\_ marks around what you want ATARI to say in a program.

- 10. A \_\_\_\_\_ mark is a shortcut used in place of a PRINT statement.
- 11. Many equations on one line must be separated by \_\_\_\_\_.
- 12. Using ATARI as a calculator is called \_\_\_\_\_ mode programming.
- 13. In a program,
  - 10
  - 20
  - 30 are called \_\_\_\_\_ numbers.

#### Across

- 6. Every step in a program must begin with a line \_\_\_\_\_.
- 8. Which key should you press when you are done typing a line and you want to go to the next line?

#### Evaluate Yourself

- 1. In component 2, I did \_\_\_\_\_\_ because \_\_\_\_\_
- 2. Component 2 was\_\_\_\_\_
- 3. Tell about the best parts of the component:

4. Tell about the parts of the component that were hard for you:

5. Tell about the parts of the component that you like the least:

For each flow chart, fill in the blank boxes with the step you think would fit. Make sure your steps are in the right order.

> Algorithm/Flow Chart #1 How to feed your pet elephant.



#### Algorithm/Flow Chart #2 How to wash your pet skunk.


For each flow chart, fill in the blank boxes with the step you think would fit. Make sure your steps are in the right order.

> Algorithm/Flow Chart #1 How to walk your pet alligator.



#### Algorithm/Flow Chart #2 How to make an ice cream cone.



#### Missing Steps

29



Design an algorithm for how to make a peanut butter and banana sandwich. Write your algorithm in flow chart form.

For each flow chart, fill in the blank boxes with the steps you think would fit. Make sure your steps are in the right order.

> Algorithm/Flow Chart #1: How to take a hot bath.



#### Algorithm/Flow Chart #2 How to eat a bowl of Rice Krispies.



Here are the steps of an algorithm to make a chocolate milkshake. Put the steps in order and make a flow chart. Be sure to show the SINGLE-ALTERNATIVE DECISION STEP.

#### Steps

STOP

Add <sup>1</sup>/<sub>8</sub> cup chocolate sauce

Get out blender

Put 3 scoops of ice cream into blender

Is milkshake too thick?

Get out ingredients

Add l cup milk

Blend all ingredients

Add more milk and blend ingredients again

Pour milkshake into glass

START

Drink your milkshake

Write an algorithm on how to fix yourself a cold glass of water. Make the algorithm into a flow chart. Your flow chart should have a SINGLE-ALTERNATIVE DECISION STEP.

Ask the question, ``IS THE WATER COLD ENOUGH?'' For the NO answer detour, your step might say: ADD ICE CUBES.



For each flow chart, fill in the blank boxes with the steps you think would fit. Make sure your steps are in the right order.

Algorithm/Flow Chart: How to teach your pet bull to come when you call.



Algorithm/Flow Chart: How to bake cookies.



Write an algorithm and flow chart on how to hit a baseball with a bat during a game when you are up to bat. Your flow chart must have a DOUBLE-ALTERNATIVE DECISION STEP.

Question: IS THE BALL IN THE STRIKE ZONE?

YES KEEP YOUR EYE ON THE BALL **NO** STEP AWAY FROM THE PLATE



Fill in the blank boxes of the flow chart with the step you think should fit. Make sure the steps fit the loop.

Algorithm/Flow Chart: How to eat candy.





Write an algorithm for how to wash your hair. Write the algorithm in flow chart form. Your flow chart should have a LOOP.

#### Example

Question: IS THERE SOAP IN YOUR HAIR? LOOP: YES  $\rightarrow$  RINSE YOUR HAIR



For each algorithm/flow chart, write a program in BASIC. (HINT — Pressing  $\boxed{\text{CTRL}}$  and  $\boxed{\vdots}$  will give a tree-like graphic.)







Write an algorithm in a flow chart for each problem. Then write a BASIC program for ATARI to follow.

1. Tell ATARI to print	ell ATARI to print PETER PIPER	
	PICKED A PECK OF PICKLED PEPPERS	
	OF PICKLED PEPPERS	
	1	

Flow chart

2. Tell ATARI to print	100*10-1000= 0
Flow chart	Program

3. Tell ATARI to print

1 CAN DO 56789 \* 1234 WHICH EQUALS 70077626

Flow chart

Tell ATARI to print	SOMEWHERE OVER THE RAINBOW MANY COMPUTERS TRY EQUATIONS LIKE 4*10= (answer to 4*10)
	I

Flow chart

4.

For each program, write what you think ATARI would print.

#### Example:

10 ? ``10+500+200='' 20 ? 10+500+200 30 GOTO 20

#### ATARI would print

- 10+500+200=
- 710
- 710
  - . (The dots mean that
  - . 710 would be
  - printed forever.)

1. 10 ? ``600-400+64='' 20 ? 600-400+64 30 END

#### ATARI would print

2. 10 ? ``ILOVE '' 20 ? `` YOU !!! '' 30 GOTO 20

- 3. 10 ? ``SHE SELLS''
  - 20 ? ``SEA SHELLS''
  - 30 ? ``BY THE SEASHORE''
  - 40 ? ``I CAN SAY IT ! ''
  - 50 GOTO 40

For each program, show how ATARI would print the equation on the screen.





Write a program that tells ATARI to print what is seen on the screens below.

#### Screens

#### Programs

8. ATARI IS A ... NUMBER CRUNCHER

9. 
$$10-9=$$
 1  
9-10=-1 1

$$10. \begin{array}{c} 5-6=-1 \\ 6-5= \end{array}$$

11.	IF YOU CAN DO	8^8
· ·	YOU'RE A	
	WHIZ KID	
	WHIZ KID	
	WHIZ KID	
	•	
1		

# **COMPONENT 3 FUN PAGE**



Word Bank			
TEN COMMA GOTO DOUBLE ZONES CHART PROCESSING SEMICOLON SINGLE	NEW ALGORITHM STOP LOOP START		

#### Down

- 1. In the flow-diagramming process, we write our algorithm in a flow
- 3. In a flow chart, one detour from a decision box is a \_\_\_\_\_-alternative decision step.
- 5. In a flow chart, a step that is repeated is called a \_\_\_\_\_.
- 7. The rectangle-shaped boxes in a flow chart that tell you to do some-thing are called \_\_\_\_\_ boxes.

- 9. ATARI's screen has four print
- 13. The last step in a flow chart is
- 14. A \_\_\_\_\_\_ tells ATARI to go to the next print zone and then begin printing.

#### Across

- 2. An \_\_\_\_\_ is a step-by-step method that can be used to solve a problem.
- Two detours from a decision box in a flow chart is a \_\_\_\_\_-alternative decision step.
- 6. Each print zone on ATARI's screen can hold \_\_\_\_\_ characters.
- 8. The BASIC command to loop is
- 10. The diamond-shaped boxes in a flow chart that ask you questions are called \_\_\_\_\_ boxes.
- 11. The first step in a flow chart is
- 12. A \_\_\_\_\_\_ tells ATARI to hold the cursor in place until the next PRINT command.
- 15. Each PRINT statement tells ATARI to print on a \_\_\_\_\_ line.

#### **Evaluate** Yourself

- 2. The best parts of the components were \_\_\_\_\_
- 3. The parts I liked the least were \_\_\_\_\_
- 4. The most valuable thing I learned in this component was \_\_\_\_\_

because\_\_\_\_\_

For each LET statement, fill in the CONTENTS of the memory cell mailbox.

T2
<u>M1</u>
D

For each LET statement, fill in the ADDRESS and the CONTENTS of the memory cell mailbox.



Read each variable below. If it follows the rules we learned for writing variables, write ``YES.'' If it does not follow the rules, write ``NO.''

1.	PR	 7.	X3	
2.	ITC	 8.	BB	
3.	А	 9.	2CC	
4.	El	 10.	23D	
5.	3X	 11.	FDd	
6.	7Z	 12.	KK1	

Read each program. Then write what ATARI would print as the output. If you can, check your answers by running the programs on ATARI.

### Program

- 1. 10 LET ZB=14 20?ZB 30 END
- 2. 10 LET T2=77
   20 ? ``T2''
   30 END
- 3. 10 LET U = 182 20 ? ``U'' 30 ? U 40 END
- 4. 10 LET RC = 7 20?``RC IS'', 30? RC 40 END
- 5. 10 LET GG4=66 20?``GG4 IS¢''; 30?GG4 40 END



Output











2

Read each program. Then write what ATARI would print as the output. If you can, check your answers by running the programs on ATARI. Pay close attention to safe and unsafe variables!

#### Program

#### Output

- 1. 10 LET RB4=40
   20 LET RB5=50
   30 LET RB1=10
   40 ? RB5; ``\\$IS\$'';
   50 ? RB1; ``\$MORE'';
   60 ? ``THAN\$''; RB4
   70 END
- 2. 10 LET T=5
  - 20 LET V = 25
  - 30 ? ``THE SQUARE ROOT OF\$'';
    40 ? V; ``\$IS\$''; T
  - 50 END
- 3. 10 ? ``MY FAVORITE NUMBER ISØ'';
  - 20 LET D=333
  - 30 ? D
  - 40 GOTO 30
- 4. 10 ? ``MY FAVORITE NUMBER IS\\$'';
  - 20 LET D = 333
  - 30 ?D;
  - 40 GOTO 30



Read each program. Then write what ATARI would print as the output.

#### Program

Output

- 1.10 LET N=12 20 LET R=6 30 ? N/R 40 END
- 2.10 LET N=12 20 LET R=6 30 ?``N+R=1¢''; N+R 40 END
- 3.10 LET N = 12
  - 20 LET R=6 30 ?N;``+'';R;``=¢''; N+R
  - 40 END
- 4. 10 LET Q = 1020 LET R = 2030 LET S = 3040 LET T = 4050 ? T/R 60 ?  $Q_i$  ``+'',S<sub>i</sub>``= $\not D$ '', T 70 ?  $S - Q_i$  ``= $\not D$ '',S<sub>i</sub> ``-'',Q
  - 80 END



For each LET statement, fill in the contents of the memory cell mailboxes.

- 1. 10 LET P=41 20 LET Q=P
- 2. 10 LET A=36
   20 LET E=16
   30 LET I=A
- 3. 10 LET L=4 20 LET M=2 30 LET N=4+2
- 4. 10 LET B1=3 20 LET B2=6 30 LET B3=B1+B2
- 5. 10 LET AB=10 20 LET AC=15 30 LET AD=AC+5 40 LET AE=AB+10
- 6. 10 LET GP=19
  20 LET GQ=GP-4
  30 LET GR=GQ+4
  40 LET GS=GR\*1







Read each program. Then write what ATARI would print as the output. Check your answers by running the programs on ATARI.

#### Program

#### Output

- 1. 10 LET PJ = 17
  - 20 LET J2 = 34
  - 30 LET J4=PJ+J2
  - 40 ? J4
  - 50 END
- 2. 10 LET B=2
  - 20 ? B
  - 30 LET B=100
  - 40 ? B
  - 50 END
- 3. 10 LET X1 = 2
  - 20 LET X2=X1\*5
  - 30 LET X3=X2/X1
  - 40 ?X3
  - 50 END
- 4. 10 LET E6=3
  - 20 LET E7 = 12
  - 30 ? ``PRODUCT'', ``QUOTIENT''
  - 40 ?E6\*E7, E7/E6
  - 50 END



<b>Program</b> 5.10 LET HI=16 20 LET HJ=HI+4 30 ? HJ+10 40 END
6.10 LET M=16 20 LET N=14 30 ? M+N 40 LET N=12 50 ? M+N 60 END
7.10 LET Z1=8 20 LET Z2=Z1-2 30 ?Z2+Z1/2 40 END
8.10 LET T1 = 6 20 LET T1 = 7 30 ? T1 40 GOTO 30 50 END
9.10 LET J=11 20 LET K=22 30 LET J=17 40 ? K+J 50 END



Output

57

Read each program. Then write what ATARI would print as the output. Check your answers by running the programs on ATARI.

#### Program

Output

- 1.10 LET A=100 20 LET B=A/25 30 LET C=B\*A 40 ? ``B=''; B 50 ? ``C=''; C 60 ? ``IF A+B+C=''; A+B+C 70 ? ``THEN A=''; A 80 END
  2.10 LET Q1=8 20 LET Q7=4
  - 20 LET QZ=4 30 ? Q1/QZ 40 LET Q1=12 50 ? Q1/QZ 60 END



In each program there are one or more mistakes. Find the mistake(s) and circle the line number where you found it. Then write the statement the correct way in the space to the right.

<b>Program</b> Example:	Correction
10 LET 4=D 20 ? D 30 END	10 LET D=4
1.10 LET L=44 20 LET 6=M 30 ?L+D 40 END	
2.10 ?Y 20 LET Y=66 30 END	
3.10 LET 5B=6 20 LET H=3 20 ?H 40 END	
4.10 ?``A+B''; A+B 20 LET A=3 30 LET B=4 40 END	



#### Program

#### Correction

- 5.10 LET XY=5 20 LET 3=VW 30 ? XY+VW 40 END
- 6.10 LET X=99 20 LET C=4 ?X-C 40 END
- 7.10 LET D+2=10 20 LET E=4 30 ? D-E 40 END
- 8.10 LET 3Y=2 20 LET B1=9 30 ?B1 40 END



Using any shortcuts you have learned so far, rewrite the long programs below to make them as short as possible.

#### Program

#### Shortcut

- Example:
- 10 LET B = 4920 LET E = 409
- 20 LET E=409 30 PRINT B+E
- JU PRINI
- 40 END

10 LET B=49: LET E=409 20 ? B+E 30 END

- 1. 10 LET R=50 20 LET N=22 30 ?R-N 40 ?R+N
  - 40 7 R + 1 50 END
- 2. 10 LET S1 = 98
  - 20 LET S2=89
  - 30 LET S3=889
  - 40 PRINT ``S3-S2-S1=''; S3-S2-S1
  - 50 PRINT ``S2\*S1=''; S2\*S1
  - 60 END
- 3. 10 LET U=40
  - 20 LET T = 20
  - 30 ?U+T
  - 40 ?U-T
  - 50 ?U\*T
  - 60 ? U/T
  - 70 END

#### Shortcut

- 4. 10 LET Y2=2
  20 LET Y3=22
  30 LET Y4=Y2+2
  40 LET Y5=Y3+22
  50 PRINT ``Y4=`'; Y4
  60 PRINT ``Y5=''; Y5
  70 END
- 5. 10 LET D2=9
  20 LET D4=18
  30 ?``D2+D4='';
  40 ?D2+D4
  50 ?``D4-D2='';
  60 ?D4-D2
  70 END



For each E notation number, write the whole number or decimal that it stands for.

<b>E</b> Notation	Whole number or decimal
<b>Example:</b> 7.982E+07	79820000
1. 3.26E+11	
2. $1.23 E - 04$	
3. 7.2E+08	
4. 4.679 E – 06	
5. 2.22 E+07	
6. 6.46982 E – 03	
7.5.3211E+12	
8. 9.011 E – 05	
9. 8.0045 E+13	
10. 1.467 E – 07	
11. 8.006 E+09	
12. 6.002 E – 03	
13. 3.9826 E – 05	
14. 1.976345E+08	


# **COMPONENT 4 FUN PAGE**



# Down

- 1. How many pieces of information can a memory cell store?
- 3. If ATARI sees a variable that has not been introduced by a LET statement, ATARI will automatically give that variable a value of
- 5. ATARI's memory can be thought of as electronic \_\_\_\_\_.
- 7. Whatever ATARI prints is called
- 9. The \_\_\_\_\_ statement assigns a value to a variable.
- 11. Information is also called \_\_\_\_\_.
- 2. Which part of ATARI's brain allows it to do many of the tricks we teach it?
- 4. A mailbox in ATARI's memory is also called a memory \_\_\_\_\_.
- 6. A memory cell consists of the address and the \_\_\_\_\_.
- Each memory cell mailbox has its own \_\_\_\_\_.

- 13. In a LET statement, the variable must always come before the
- 15. When you introduce the same variable more than once in a program, ATARI will remember the \_\_\_\_\_\_ value you gave it.
- We can use commas and \_\_\_\_\_\_ to change the arrangement of the output in a program.
- 17. ATARI will change numbers with more than ten digits into E \_\_\_\_\_.

## Across

- 10. The address of a memory cell is also called a \_\_\_\_\_.
- 12. We can use \_\_\_\_\_ to shorten our program in between LET statements.
- 14. The type of number ATARI can't understand is a \_\_\_\_\_.

## **Evaluate Yourself**

- 1. Component 4 was \_\_\_\_\_\_ because \_\_\_\_\_\_
- 2. The best parts of the component were\_\_\_\_\_
- 3. The parts I liked the least were\_\_\_\_\_
- 4. The most valuable thing I learned in this component was \_\_\_\_\_

because\_\_\_\_

Read each program. Then write what you think ATRARI would print as the OUTPUT. Run the programs on ATARI to check your answers.

#### Program

- 1. 10 FOR Q=2 TO 6 20 ? Q
  - 30 NEXT Q
  - 40 END
- 2. 10 FOR Q = 2 TO 4
  - 20 ?``Q='';Q
  - 30 NEXT Q
  - 40 END
- 3. 10 FOR A = 1 TO 5
  - 20 ? ``HELLO FRIEND!''
  - 30 ? ``HOW ARE YOU?''
  - 40 NEXT A
  - 50 END
- 4. 10 FOR D = 1 TO 3
  - 20 ? D
  - 30 ?D+10
  - 40 NEXT D
  - 50 END
- 5. 10 LET P = 3
  - 20 FOR Q = 1 TO 3
  - 30 ? P; ``+''; Q; ``=''; P+Q
  - 40 NEXT Q
  - 50 END

#### Output

- 6. 10 FOR B=1 TO 5
  20 ? "B", "B+B", "B\*B"
  30 ? B, B+B, B\*B
  40 NEXT B
  50 END
- 7. 10 ? ``MULTIPLICATION TABLE FOR 7''
  20 FOR K=1 TO 12
  30 ? K; ``TIMES 7=''; K\*7
  40 NEXT K

- 8. 10 FOR G=1 TO 10 20 ?``♡''
  - 30 NEXT G
  - 40 END

50 END

- 9. 10 FOR G=1 TO 10
  20 ?``♡`';
  30 NEXT G
  40 END
- 10. 10 FOR S=1 TO 10 20 LET S=S\*S 30 ? S, S/S 40 NEXT S 50 END

Can you explain how this program works? \_\_\_\_\_

Write a program for each flow chart. Be sure to use a FOR-NEXT loop. Run your programs on ATARI to make sure they work.











For each program description, write an algorithm in flow chart form. Then write the program. Run each program on ATARI to make sure it works.

#### Description

#### Flow chart

Program

5. Add something new to the program in #4 so it prints: J; ``TIMES 8=''; J\*8 each time the loop is done.

6. Write a program that prints the numbers from 1 to 20, their squares (X\*X), and their cubes (X\*X\*X).



## Description

#### Flow chart

Program

7. Write a program that prints \* 20 times on one line.

8. Write a program that introduces D = 5 and P = 1 to 5. Make the program add D plus each value of P, and print the sums of D+P.

In each program there is one mistake. Find the mistake and circle the line number where you found it. Then write the statement the correct way in the space to the right.

<b>Program</b> 1.10 FOR P=1-40 20 ? P 30 NEXT P 40 END	Correction
2.10 FOR W IS 6 TO 30 20 ? W 30 NEXT W 40 END	
3.10 FOR E=3 TO 10 20 ?E 30 E NEXT 40 END	
4. 10 FOR L = 1 TO 4 20 ?L 30 ?L*2 40 50 END	
5.10 LET G=4 20 FOR H=5 TO 9 30 ?G+H 40 NEXT G 50 END	

Read each program. Write what you think ATARI would print as the OUTPUT. Run the programs on ATARI to check your answers.

#### Program

- 1. 10 FOR F=0 TO 8 STEP 2 20 ? F 30 NEXT F 40 END
- 2. 10 FOR J=18 TO 0 STEP-3 20 ? J 30 NEXT J 40 END
- 3. 10 FOR B2=3 TO 21 STEP 3
  20 ? ``HOWDY''
  30 NEXT B2
  40 END
- 4. 10 LET N = 5
  20 FOR T = 1 TO N
  30 ? T
  40 NEXT T
  50 END
- 5. 10 LET M2=10 20 FOR S=0 TO 12 STEP M2/5 30 ? S 40 NEXT S 50 END



- 6.10 ? ``IF SEPT 1 IS A SUNDAY THEN'' 20 FOR JJ=1 TO 31
  - STEP 7
  - 30 ?``SEPTø''; JJ; ``øIS A SUNDAY''
  - 40 NEXT JJ
  - 50 END
- 7.10 LET FX=8
  - 20 FOR A7=0 TO 10 STEP PX/4
    - 30 ? A7
  - 40 NEXT A7
  - 50 END
- 8.10 FOR ZZ = 1 TO 14 STEP 4
  - 20 ? ZZ
  - 30 NEXT ZZ
  - 40 END
- 9.10 FOR BD=20 TO 2 STEP -5
  - 20 ? BD
  - 30 NEXT BD
  - 40 END



For each program description, write an algorithm in flow chart form. Then write the program. Run each program on ATARI to make sure it works.

#### Description

#### Flow chart

Program

1. Write a program that tells ATARI to count from 0 to 40 by fours.

2. Write a program that tells ATARI to count backwards from 8 to 0.

### Description

### Flow chart

Program

3. Write a program that tells ATARI to print ``HELLO'' five times. Use a STEP statement.

4. Write a program that tells ATARI to print the numbers 0 through 21 STEP N/4. Make N=12.

## Description

### Flow chart

## Program

5. Write a program that tells ATARI to print the numbers 1, 4, 7, 10 and 13. Use a STEP statement.



Study each program. Write what you think ATARI would print as the OUTPUT. Run each program to check your answers.

### Program

- 1.10 LET C=0 20 FOR FL=1 TO 100 STEP 10
  - 30 ?``THINK''
  - 40 LET C = C + 1
  - 50 ?C
  - 60 NEXT FL
  - 70 END
- 2.10 LET C = 0
  - 20 ? ``BRAIN POWER''
  - 30 LET C = C + 1
  - 40 ?C
  - 50 GOTO 20
- 3.10 LET C = 0
  - 20 FOR FL=1 TO 8
  - 30 LET C = C + 1
  - 40 ? C
  - 50 ?``AWESOME''
  - 60 NEXT FL
  - 70 END

- 4. 10 LET C=0 20 FOR Z=1 TO 50 STEP 10 30 ? ``RAINBOW''
  - 40 LET C = C + 1
  - $40 \text{ Let } C = C^{-1}$
  - 50 NEXT Z
  - 60 ? ``I PRINTED''
  - 70 ? ``RAINBOW'' 80 ?C; ``TIMES''
  - 90 END
  - 90 END
- 5. 10 LET C = 0
  - 20 FOR FL = 1 TO 4
  - 30 LET C = C + 1
  - 40 ?C
  - 50 ? ``JELLY BEANS''
  - 60 NEXT FL
  - 70 ? ``A TOTAL OF\ø'';C;``\øJELLY
    - BEANS''
  - 80 END



Write a program for each flow chart, then run the programs.



# Flow Chart







You have learned how to program ATARI to move down a number of lines on the screen and then begin printing. To do this, you used a statement like this:

#### 20 ?:?:?:?

This tells ATARI to move down 4 lines.

Now using the tricks you have learned to make ATARI clear the screen, and move the writing down several lines, write a program for the following flow charts. Try the programs out on ATARI.







Write a program for each flow chart, then run your programs on ATARI to make sure they work.



This is the basic algorithm for making something blink.



Use your expertise and your imagination to write two of your own programs that make something blink. You can even make graphics or pictures blink! Don't be afraid to experiment.

Flow Chart

Program

1.





# **COMPONENT 5 FUN PAGE**



Word Bank		
BLINK	LOOP	
BREAK	NEXT	
BUG	SAVE	
CLEAR	STEP	
COUNTER	STOP	
LIST	TIME	

### Down

- 1. A FOR-NEXT loop creates \_\_\_\_\_ controlled loops in a program.
- 3. A counter also lets you keep track of how many times you have done a\_\_\_\_\_.
- 5. To slow down ATARI's printing, use a FOR-NEXT \_\_\_\_\_ loop.
- 7. When you copy a program onto a cassette tape, you use the \_\_\_\_\_ command.
- 9. To see how a program is written, type \_\_\_\_\_.
- 11. We use the FOR-NEXT time loop to make things \_\_\_\_\_.

#### Across

- 2. A mistake in a program is called a
- 4. Every FOR statement must have a \_\_\_\_\_\_ statement after it some-where in the program.
- We tell ATARI to count in a certain pattern by using the \_\_\_\_\_ command.
- 8. The statement ? `` ESC SHIFT CLEAR '' tells ATARI to \_\_\_\_\_ the screen.
- 10. We push BREAK to make a program \_\_\_\_\_ running.
- 12. We \_\_\_\_\_ out of a program when we stop it before it has finished running.

# **Evaluate Yourself**

- 1. Component 5 was \_\_\_\_\_\_ because \_\_\_\_\_\_
- 2. The best parts of the component were \_\_\_\_\_
- 3. The parts I liked the least were \_\_\_\_\_
- 4. The most valuable thing I learned in this component was \_\_\_\_\_\_ because \_\_\_\_\_\_

Other comments:

Study each program and write what you think ATARI would print as the output. Run the programs to check your answers.

#### Program

- 5 DIM F\$(10)
   10 LET F\$=``44''
   20 LET F=44
   30 ?F\$:?F
   40 END
- 5 DIM G\$(10)
   10 LET G\$=``6+32=''
   20 LET G=6+32
   30 ?G\$; G
   40 END
- 3. 5 DIM A\$(10), S\$(12)
  10 LET A\$=``ADDITION''
  20 LET S\$=``SUBTRACTION''
  30 ?A\$, S\$
  40 LET A=8+8
  50 LET S=8-8
  60 ?``8+8=''; A, ``8-8=''; S
  70 END
- 4. 5 DIM Q\$(10), R\$(10)
  10 LET Q\$= ``HI HO''
  20 LET R\$= ``SILVER!''
  30 ? Q\$, R\$
  40 GOTO 30
- 5. 5 DIM Z\$(20)
  10 LET Z\$= "YOU'RE OUTA SIGHT!"
  20 FOR C=1 TO 20
  30 ?Z\$
  40 NEXT C
  50 END

There is at least one mistake in each program. Find the mistake(s), circle the line number where you found it, then write the statement(s) the correct way in the space to the right.

## Program

## Correction

- 1. 10 LET AZ\$=``YES'' 20 LET BY\$=``NO'' 30 ? AZ\$, BY\$ 40 END
- 2. 5 DIM T\$(10), U\$(10) 10 LET T\$=``THE TIME''
  - 20 LET U\$=``IS NOW''
  - 30 ?T, U
  - 40 END
- 5 DIM J\$(10), K\$(10)
  10 LET J\$= UP, UP
  20 LET K\$= AND AWAY
  30 ? J\$ : ? K\$
  40 END
- 4. 5 DIM P\$(20), T\$(20)
  - 10 LET``PARTRIDGE IN''=P\$
  - 20 LET``A PEAR TREE''=T\$
  - 30 ?P\$,T\$
  - 40 END



Study each program. Write what you think ATARI would print as the output. You may write what you would answer for each INPUT statement. Run the programs to check your work.

### Program

- 5 DIM A\$(20)
   10 ? ``HOW OLD ARE YOU'';
   20 INPUT A
   30 ? ``WHAT'S IT LIKE TO BE\\$'';A;
   40 INPUT A\$
   50 ? ``I'M GLAD TO HEAR IT'S\\$'';A\$
   60 END
- 2. 5 DIM A\$(20)
  - 10 ? "HOW OLD ARE YOU?"
  - 20 INPUT A
  - 30 ? ``WHAT'S IT LIKE TO BE\Ø'', A, ``?''
  - 40 INPUT A\$
  - 50 ? ``SO YOU ARE\$/'', A\$; ``\$TODAY''
  - 60 END
- 3. 10 ? "HOW MANY BROTHERS AND"
  - 20 ? ``SISTERS DO YOU HAVE?''
  - 30 ? ``TYPE NUMBER OF BROTHERS, ''
  - 40 ?``A COMMA,''
  - 50 ? ``AND NUMBER OF SISTERS''
  - 60 INPUT B, S
  - 70 LET T = B + S
  - 80 ? ``SO YOU HAVE`\$''; T ; ``\$SIBLINGS''
  - 90 END

- 4. 10 ? ``CHOOSE TWO NUMBERS AND''
  20 ? ``I WILL ADD THEM FOR YOU''
  30 ? ``TYPE 1ST NUMBER, COMMA,''
  40 ? ``THEN TYPE THE 2ND NUMBER''
  - 50 INPUT F, S
  - 60 ?
  - 70 ? F; ``+''; S; ``=''; F+S
  - 80 ?
  - 90 ? ``I'M A WHIZ!''
  - 100 END
- 5. 10 ? ``TYPE IN 2 NUMBERS''
  20 ? ``SEPARATED BY A COMMA''
  30 INPUT O, T
  40 ?
  50 ? O, ``+'', T, ``='', O+T
  60 ? O, ``-'', T, ``='', O-T
  70 ? O, ``\*'', T, ``='', O\*T
  80 ? O, ``/'', T, ``='', O/T
  90 ? ``SEE . . . I TOLD YOU''
  100 ? ``I WAS A WHIZ!''
  110 END



Write a program for each flow chart. Run your programs on ATARI to check for bugs.





Flow Chart

Program





.

.



.

Write 3 programs using the INPUT statement. Write the flow chart for the algorithm first, then write the program. Debug your programs by running them on ATARI.

Flow Chart Program



**IF-THEN** statement

IF A = C THEN

Write each equation as an IF-THEN statement.

#### Question Example:

Is A equal to C?

- 1. Is L\$ equal to ``MAYBE''?
- 2. Is F1 not equal to FZ?
- 3. Is GH greater than HI?
- 4. Is S\$ less than or equal to F\$?
- 5. Is X times B less than P times Q?
- 6. Is T divided by W greater than or equal to W times B?
- 7. Is P\$ greater than M\$?
- 8. Is the square root of Y equal to D?
- 9. Is G\$ not equal to ``NO''?
- 10. Is 10 divided by 5 less than 14 divided by 2?
- 11. Is Y\$ equal to the square root of 64?
- 12. Is A plus B greater than D\$?


For each question write the Complement IF-THEN statement.

#### Question Example

Is P\$ equal to ``YES''?

- 1. Is QR greater than 2?
- 2. Is Z\$ not equal to ``END''?
- 3. Is F less than or equal to P?
- 4. Is G\$ equal to ``JEEPERS''?
- 5. Is S1 greater than or equal to S2?
- 6. Is DD less than 444?
- 7. Is X greater than Y?
- 8. Is A\$ greater than or equal to 79?
- 9. Is P\$ not equal to ``YES''?
- 10. Is VP less than or equal to JK?



IF P\$ < > ``YES'' THEN \_\_\_\_\_



The location of the IF-THEN statement in a program is very important. If it is put in the wrong place, the program won't work properly. The IF-THEN statement must come **after** the LET or INPUT statements that introduce the variables in the IF-THEN statement. For example:

#### Program

#### Output

	•
10	IF P < Q THEN 50
20	LET $P = 5$
30	LET $Q = 7$
40	GOTO 60
50	? ``P IS SMALLER''
60	END

ATARI does not print anything because the IF-THEN statement is before the LET statements that introduce the variables.

In of the following programs, the IF–THEN statement is in the wrong place. Rewrite the programs so they are correct.

### Incorrect program

#### Corrected program

- 10 IF Z=2 THEN 60
   20 LET A=6
   30 LET B=8
   40 LET Z=2
   50 GOTO 70
   60 ? ``Z=2''
  - 70 END



#### Incorrect program

#### Corrected program

- 2. 5 DIM E\$(10), D\$(10)
  - 10 ? "WHAT COLOR ARE YOUR EYES?"
  - 20 IF E\$ = ``BLUE'' **THEN 100**
  - 30 INPUTE\$
  - 40 ? ``ARE THEY DIFFERENT COLORS?"
  - 50 IF D\$ = ``YES'' **THEN 120**
  - 60 INPUT D\$
  - 70 ? "THEY ARE 1 COLOR''
  - 80 ? ``THEY ARE NOT BLUE''
  - 90 GOTO 130
  - 100 ? ``WHAT NICE BLUE EYES!"
  - 110 GOTO 130
  - 120 ? ``WHAT
    - COLORFUL EYES!"
  - 130 END
- 3. 5 DIM F\$(10)

20 ? ``ARE

10 IF F\$= ``NO'' THEN 60

COMPUTERS

60 ? ``YOU'RE NO

FUN!"

70 END

FUN?" 30 INPUT FS 40 ? ``YOU'RE RIGHT!'' 50 GOTO 70



Study each flow chart, then write a program. Debug your programs by running them on ATARI.

### Flow Chart

Program









**Clue:** You will need to use the complement of the question for your IF-THEN statement.

#### Flow Chart



Clue: You will need to use the complement of the question for your IF-THEN statement.

Program

For each description, write an algorithm in flow chart form and write a program for the flow chart. Debug each program by running it on ATARI.

### Description

Flow Chart

Alphabetize
 ``HIP'' and ``HIPPO''



2. Alphabetize ``GUSTO'' and ``GROOVY''

## Description

#### Flow chart

### PROGRAM

- Alphabetize
   ``AARDVARK'' and
  - ``ZEBRA''



Study each flow chart and then write a program. Use REM statements where appropriate to show good programming style. Debug your programs by running them on ATARI.

### Flow Chart





Flow chart

#### Program





Study each program and write what you think ATARI would print as the OUTPUT—including error messages. Check your answers by running the programs on ATARI.

### Program

#### Output

- 1. 5 DIM Z\$(10),L\$(10)
  - 10 READ Z\$, L\$
  - 20 ?Z\$,L\$
  - 30 GOTO 10
  - 40 DATA ``YOU'', ``ARE'', ``A'', ``HOT-SHOT''
  - 50 END
- 2. 10 DATA 4,14,41,6,
  - 16,61,3,13,31
  - 20 READ Q, R, S
  - 30 ? Q+R+S
  - 40 GOTO 20
  - 50 END
- 3. 10 READ G, H
  - 20 DATA 44,66,88, 22,110
  - 30 ?G,H
  - 40 GOTO 10
  - 50 END
- 4. 10 DATA 14,7,2,16,8,
  - 2, -99, -99, -99
  - 20 READ A, L, B
  - 30 IF A= -99 THEN 60
  - 40 ? A-L-B
  - 50 GOTO 20
  - 60 END

### Program 5. 10 READ R1, R2 $20 \text{ IF } \mathbb{R} \mathbb{I} = -1 \text{ THEN}$ 60 30 ?R\$\*R2 40 GOTO 10 50 DATA 2,2,3,3,4, 4,5,5,-1,-1 60 END 6. 5 DIM D\$(10),E\$(10) 10 FOR L = 1 TO 420 READ D\$, E\$ 30 ? D\$, E\$ 40 NEXTL 50 DATA ``A'', ``E'', ``I′′, ``O′′ 60 DATA ``U'', ``Y'', ``ARE'', ``VOWELS'' 70 END 7. 10 FOR L=1 TO 2

Output

20 READ S1, S2, S3 30 DATA 8,2,4,6,2,3 40 ? S1 \* S2 \* S3 50 NEXT L 60 END



In each of the following programs there are mistakes. Circle the line number(s) with the mistake and make your correction in the space to the right. If something has been left out, add it to the program.

### Program

#### Correction

- 1. 10 READ P, A, N
  - 20 ?P,A,N
  - 30 DATA 400, 8%, 6
  - 40 END
- 2. 5 DIM N\$(10)
  - 10 READ N\$, A
  - 20 ?N\$, A
  - 30 DATA KIM IS,
  - 3\*4
  - 40 END
- 3. 5 DIM N\$(10)
  - 10 ?``NAME'', ``AGE''
  - 20 READ A, N\$
  - 30 ? A, N\$
  - 40 DATA HARVEY,
    - 14
  - 50 END
- 4. 5 DIM N\$(10)
  - 10 ? ``NAME'', ``AGE''
  - 20 READ N\$, A
  - 30 ?N\$, A
  - 40 DATA HARVEY,
    - 14 YEARS OLD
  - 50 END

1

### Program

#### Correction

- 5. 5 DIM F\$(20)
  - 10 READ F\$
  - 20 ? ``DAILY MENU''
  - 30 ?F\$
  - 40 END
- 6. 10 READ X,Y,Z
  - 20 ? ``THE PRODUCT OF 3 NUMBERS''
  - 30 ?X\*Y\*Z
  - 40 DATA 4,5
  - 50 END
- 7. 10 ? "COUNTING"
  20 READ DATA
  30 DATA 1,2,3,4
  40 END
- 8. 5 DIM N\$(10)
  - 10 ? ``NAME'', ``AGE''
  - 20 READ N\$, A
  - 30 ?N\$, A
  - 40 GOTO 20
  - 50 DATA BOB, BILL, 10, 11



READ-DATA statements can help you write shorter programs. Rewrite each program using READ-DATA statements to shorten them. Try to write each program so you don't get an error message.

#### Long program

#### Short program

- 1. 10 ? ``MULTIPLYING 2 NUMBERS''
  - 20 LET P = 60
  - 30 LET Q=129
  - 40 LET R=410
  - 50 LET S = .6
  - 60 ? P,Q, P\*Q
  - 70 ?R,S, R\*S
  - 80 END
- 2. 5 DIM A\$(10),
  - B\$(10), C\$(10), D\$(10), E\$(10)
  - 10 ? ``TEST SCORES''
  - 20 ?``NAME'', ``SCORE''
  - 30 LET A\$= ``JOE''
  - 40 LET A=98
  - 50 LET B\$= ``TOM''
  - 60 LET B = 52
  - 70 LET C\$= ``KRIS''
  - 80 LET C=95
  - 90 LET D\$= ``GAIL''
  - 100 LET D=75
  - 110 LET E\$= ``BOB''
  - 120 LET E = 72
  - 130 ? A\$, A
  - 140 ? B\$, B
  - 150 ?C\$,C
  - 100 ? CS, C
  - 160 ?D\$, D
  - 170 ?E\$,E
  - 180 END









2. Write a program that lists the names of your friends.

Flow chart

Program

ł,

Using what you know about READ-DATA statements:

1. Write a program that multiplies three numbers.

Flow chart

Program



4. Flow Chart

5. CODE the program

6. DEBUG

7. REVISE

Use the problem-solving approach to get ATARI to solve the following problems.

### Problem 1

The teacher gave your class a test on programming the computer. The test scores were:

Jill Jarvis	73%	Your teacher needs to
Katie O'Keefe	98%	know the <b>average</b> test
Tommy Temple	67%	score.
Susie Sunbeam	82%	
You	90%	

Write a program that tells ATARI to calculate and print the average score.

HINT: To find the average of 5 numbers, add them together and divide by 5.

- 1. THINK about the problem.
- 2. Make your DATA TABLE here.



3. Write the ALGORITHM (steps and equations).

4. Flow Chart

5. CODE

6. DEBUG7. REVISE

#### Problem 2

You are the new manager of the "Peppy Pizza" restaurant and you need the help of a computer. Write a program that will allow you to INPUT the number of small, medium, and large pizzas sold during a day.

Have ATARI print out the total number of pizzas sold and how much money you made.

PRICES:	small	\$4.30
	medium	\$5.50
	large	\$7.25

OUTPUT HINT:

HOW MANY PIZZAS: (SMALL, MEDIUM, LARGE) ----/ ---

?\_\_\_\_\_

\_\_\_\_\_ PIZZAS SOLD TODAY. THERE WERE \_\_ ``PEPPY PIZZA'' MADE \$\_\_\_\_\_.

1. THINK about the problem.

2. DATA TABLE



3. ALGORITHM

4. Flow Chart

5. CODE



6. DEBUG7. REVISE

#### **Problem 3**

Write a program that will allow you to INPUT your age in years, months, and days. Example: 9 years, 3 months, 17 days.

Have ATARI calculate and print how many days, hours, and minutes old you are.

HINT: There are normally 365 days in a year and 30 days in a month. There are exactly 24 hours in a day and 60 minutes in an hour.

1. THINK about the problem.

2. DATA TABLE

#### 3. ALGORITHM

### 4. Flow Chart

5. CODE



6. DEBUG7. REVISE



#### Problem 4

You just got hired as a SUPER SCOOPER at the DIPPER DELIGHT Ice Cream Store. Write a program that will allow you to INPUT how many hours you worked for the week.

Have ATARI calculate and print hours worked and your salary for the week if you make \$3.25 an hour.

**OUTPUT HINT:** 

HOW MANY HOURS DID YOU WORK? \_\_\_\_

YOU WORKED \_\_\_\_\_ HOURS AND MADE

\$\_\_\_\_.

1. THINK about the problem.

2. DATA TABLE

3. ALGORITHM

4. Flow Chart

5. CODE



6. DEBUG7. REVISE

#### Problem 5

Add to the problem you wrote for Problem 4 so that ATARI can calculate overtime pay. (Overtime is any hours worked **over** 40 hours a week.) You get paid \$4.75 for every hour of overtime you work.

Add this to our OUTPUT:

YOU WORKED \_\_\_\_\_ OVERTIME HOURS AND MADE \$\_\_\_\_\_ IN OVERTIME. YOUR TOTAL PAY FOR THE WEEK IS \$\_\_\_\_\_. (Total pay is regular pay+overtime pay.)

HINT: You will need a decision box in your flow chart to ask:

ISH > 40?

1. THINK about the problem.

2. DATA TABLE



3. ALGORITHM

4. Flow Chart

5. CODE



6. DEBUG7. REVISE

#### Problem 6

You are the famous sportscaster H.E. Nosell. You have been asked to calculate the batting averages of Big League Baseball players. Write a program that allows you to INPUT a player's name, hits, and times at bat.

Have ATARI calculate and print the player's name and batting average.

HINT: To calculate batting average, use this equation:

1000 \* hits/times at bat

1. THINK about the problem.

2. DATA TABLE

#### 3. ALGORITHM

### Down

- 1. We can interact with the computer by using an \_\_\_\_\_\_ statement.
- 3. The statement used for making comparisons is \_\_\_\_\_-THEN.
- 5. The statements that let you change your data are the \_\_\_\_\_-DATA statements.
- 7. This sign, >, means \_\_\_\_\_ than.
- 9. A <u>table lists the variables</u> you are using in a program.
- 11. An alphanumeric variable is also called a <u>variable</u>.

### Across

- 2. A variable that stores a number.
- 4. We use \_\_\_\_\_ data to let ATARI know that we are at the end of our data list.
- 6. A string variable is written as a letter followed by a \_\_\_\_\_\_ sign.
- 8. You should document your programs by using the \_\_\_\_\_ statement.
- 10. The opposite of a question is called its \_\_\_\_\_.
- 11. When ATARI is alphabetizing words, it knows that ``A'' is the \_\_\_\_\_ letter in the alphabet.

### **Evaluate Yourself**

1. Component 6 was	 
because	 

- 2. The best parts of the component were \_\_\_\_\_
- 3. The parts I liked the least were \_\_\_\_\_
- 4. The most valuable thing I learned in this component was \_\_\_\_\_

because \_\_\_\_\_

Other comments:

# **COMPONENT 6 FUN PAGE**





### Program

#### Important parts

Output

- 2. 10 REM CONVERT TEASPOONS TO TABLESPOONS
  - 20 ? ``TEASPOONS'', ``TABLESPOONS''
  - 30 FOR T = 3 TO 18 STEP 3
  - 40 ?T,, T/3
  - 50 NEXT T
  - 60 END

3. 10 REM CONVERT

**POUNDS TO OUNCES** 

- 20 ? ``POUNDS'', ``OUNCES''
- 30 FOR P = 1 TO 6
- 40 ?P, P\*16
- 50 NEXT P
- 60 END
- 4. 10 REM CONVERT YARDS TO INCHES
   20 ? ``YARDS'',
  - ``INCHES''
  - 30 FOR Y=1 TO 5
  - 40 ?Y, Y\*36
  - 50 NEXT Y
  - 60 END
For each conversion problem, identify the important parts by writing: HEADING, FOR-NEXT LOOP, CONVERSION EQUATION next to the lines in the program. Then write what you think ATARI would print as the output.

Program Example:	Important parts	Output	
10 REM CONVERT FEET		FEET	METERS
TO METERS		1	0.3
20 ? ``FEET'', ``METERS''	HEADING	2	0.6
30 ?		3	0.9
40 FOR $F = 1$ TO 10	FOR-NEXT LOOP	4	1.2
50 ?F,F*.3	CONVERSION	5	1.5
60 NEXT F	EQUATION	6	1.8
70 END	,	7	2.1
		8	2.4
		9	2.7
		10	3

1. 10 REM CONVERT FEET TO YARDS	
20 ?``FEET'', ``YARDS''	HEADING
30 ?	
40 FOR F=1 TO 12	FOR-NEXT LOOP
STEP 2	
50 ?F,F/3	CONVERSION
60 NEXT F	EQUATION
70 END	

### Problem

#### Program

4. Convert 1–10 liters to quarts. CONVERSION EQUATION: QUARTS=L/3.8

5. Convert  $0^{\circ}-100^{\circ}$  Fahrenheit to Celsius. CONVERSION EQUATION:  $^{\circ}C=5*(F-32)/9$ 

 Convert 1–100 pounds to kilograms. CONVERSION EQUATION: Kilograms=P\*.45

÷,

Write a conversion program for each problem. Make sure your program has a heading, FOR-NEXT loop, and conversion equation. Run your programs on ATARI to check for bugs.

### Problem

#### Program

1. Convert 1–20 inches to centimeters. CONVERSION EQUATION: Centimeters=I\*2.5

2. Convert 1–20 kilometers to miles. CONVERSION EQUATION: Miles=K/1.6

3. Convert 1–20 pounds to grams. CONVERSION EQUATION: Grams=P\*454

### 4. Flow Chart

5. CODE

6. DEBUG7. REVISE

Use the problem-solving approach to get ATARI to solve the following conversion problems.

A. Jed needs to find out what decimal  $^{6}/_{7}$  stands for. Write a program that lists the fractions  $^{1}/_{7}$ through  $^{7}/_{7}$  and the decimals they stand for. CON-VERSION EQUATION: Decimal = X/7

- 1. THINK about the problem.
- 2. DATA TABLE



### 4. Flow Chart

5. CODE

### 6. DEBUG7. REVISE

B. Amy Astronaut is going to the moon. She learned that because the gravity on the moon is only 1/6 of the earth's gravity, she will weigh less on the moon. Write a program that asks you to INPUT how much you weigh. Then have ATARI print how much you would weigh on the moon. CONVERSION EQUATION: moon weight=earth weight/6

- 1. THINK about the problem
- 2. DATA TABLE

3. ALGORITHM



### CHALLENGE

D. Fred's class took a test in which there were 20 questions asked. Fred's score was 16 correct out of 20, or  $\frac{16}{20}$ . Fred wants to know what percentage this would be. Write a program that lists the percentages for the test scores  $\frac{1}{20}$  through  $\frac{20}{20}$ .

X = number answered correctly

20=total number of questions

CONVERSION EQUATION: P=X\*100/20

- 1. THINK about the problem
- 2. DATA TABLE

3. ALGORITHM



- C. Add to program #2 so that ATARI will print a conversion table **after** printing the output for program #2. The table should list weight on earth from 10 to 100 pounds and the equivalent moon weights.
- 1. Flow Chart 2. CODE



DEBUG
 REVISE

### CHALLENGE

E. Change program #4 so ATARI asks you to INPUT how many test questions there were (T), and how many questions you answered correctly (C). Have ATARI print your score and the percentage you got correct.

HINT: score = C out of T percentage = C \* 100 / T

1. Flow Chart

· 2. CODE

- 3. DEBUG
- 4. REVISE

4. Flow Chart

5. CODE

6. DEBUG7. REVISE

Read each RND function. Figure out what the lowest and highest random numbers will be that ATARI could print.

Function
----------

### ATARI will print random numbers between and including:



Example:			•
LET $X = 18 * RND(1)$	0	_and_	17.9999
1. LET $X = 300 * RND(1)$		_and_	
2. LET $X = RND(1)$		_ and _	
3. LET $X = 3 * RND(1)$		_and_	
4. LET $X = 67 * RND(1)$		_and_	
5. LET $X = 100 * RND(1)$			
+ 1		_and_	
6. LET $X = 25 * RND(1) + 1$		_and_	
7. LET $X = 116 * RND(1)$			
+ 1		_and_	
8. LET $X = 39 * RND(1) + 1$		_and_	
9. LET $X = 436 * RND(1)$		_and_	
10. LET $X = 77 * RND(1) + 1$		_and_	
11. LET $X = 43 * RND(1) + 1$		_and_	
12. LET $X = 13 * RND(1)$		_and_	
13. LET $X = 59 * RND(1) + 1$		_and_	·····



RUN the program three times on ATARI. Each time the program is run, write down the random numbers that ATARI printed. Then write the lowest and highest numbers in the list. Run the program several more times and visually note the highest and lowest numbers.

RUN #1

	 	<b>-</b>	
numbers			
lowest			
highest			

#### Program

10 FOR L=1 TO 5 20 LET X=10\*RND(1) 30 ? X 40 NEXT L 50 END

#### RUN #2

numbers			
lowest			
highest			

RUN #3

numbers		
lowest		
highest		

We use both the INT and RND functions to tell ATARI to print a random integer. Read each function. Then write the two numbers that ATARI must create random integers **between**.

Function	ATARI will print random integers between:
Example:	
INT(40*RND(1)+26)	$\underbrace{\begin{array}{c} 26 \\ 1 \end{array}}_{1} and \underbrace{\begin{array}{c} 67 \\ 1 \end{array}}_{1}$
DO: $40 + 26 + 1 = 67$	
1. INT(14*RND(1)+3)	and
2. $INT(221 * RND(1) + 9)$	
3. $INT(3*RND(1)+2)$	and
4. $INT(22*RND(1)+16)$	
5. $INT(55*RND(1)+28$	
6. INT(77*RND(1)+75	·
7. INT(94*RND(1)+33	,
8. INT(101*RND(1)+6	
9. INT(63*RND(1)+7)	
10. $INT(80*RND(1)+45)$	
11. $INT(46*RND(1)+23$	
12. $INT(39 * RND(1) + 19$	· · · · · · · · · · · · · · · · · · ·
	?) and





INTEGERS are whole numbers. The INT function rounds DOWN to the next whole number to make it an integer. Read each INT function. Then write what ATARI would print for the output.

Function Example:	Output
10 LET C=4.96 20 ? INT(C)	4
1. 10 LET X=66.823 20 ? INT(X)	
2. ?INT(4.89)	
3. 10 LET R=992.01 20 ? INT(R)	
4. ?INT(63.49321)	
5. 10 LET BD=-16.003 20 ? INT(BD)	
6. 10 LET P1 = 43.001 20 ? INT(P1)	
7. ?INT(660.666)	
8. ?INT(-33.23)	
9. 10 LET S=4120.7 20 ? INT(S)	
10. ?INT(-999.999)	

Write an INT and RND function for each description. Remember the equation: INT ((B-(A+1))\*RND(1)+A)

B=largest number A=smallest number

To print random	Function
integers between	
Example: 5 and 18	INT(12*RND(1)+5)
DO: INT((18-(5+1))*RN INT(12*RND(1)+5)	D(1)+5)
1. 16 and 48	

ц.	10 0110 40	
2.	2 and 10	
3.	10 and 100	
4.	l and 50	
5.	33 and 99	
6.	50 and 100	
7.	75 and 100	
8.	27 and 41	
9.	62 and 300	
10.	49 and 52	



Create random numbers between and including: Example:	Function
0 and 9.9999	LET $X = 10 * RND(1)$
1. 0 and 14.9999 2. 0 and 92.9999 3. 1 and 45.9999 4. 0 and 70.9999 5. 1 and 26.9999 6. 0 and 106.9999 7. 0 and 66.9999 8. 1 and 211.9999 9. 1 and 31.9999 10. 1 and 441.9999	
11. 0 and 89.9999 12. 1 and 53.9999 13. 1 and 382.9999	
14. 0 and 554.9999	

Write an RND function for each description.

2. Write a CAI program that asks a student to multiply two random numbers between 1 and 10.

### Flow chart

### Program

Make a flow chart and write a program for each problem. Debug your programs by running them on ATARI.

1. Write a program that will print 10 random decimals between 1 and 100 and then print the integer for each.

### Flow Chart

#### Program

1. Write your own music by adding the necessary DATA in line 60:

10 REM WRITE A SONG
20 READ N
30 SOUND 1, N, 10, 8
40 FOR T = 1 TO 150 NEXT T
50 GOTO 20
60 DATA

2. The above program holds the last note until you press BREAK, type END and press RETURN. Add to the above program so that it ends by itself. (HINT—use some dummy data in line 60.)



3. You can use the INPUT statement in a program with the RND and INT functions. Write a program so that ATARI will ask you to type in two integers. Then have ATARI print 10 random integers between those two numbers. OUTPUT HINT:

TYPE IN TWO NUMBERS AND I WILL CREATE TEN RANDOM INTEGERS BETWEEN THOSE TWO NUMBERS ? 10 RANDOM INTEGERS BETWEEN AND ARE:

Flow chart

Program

1. Select a simple song from a music book (Mary Had a Little Lamb, Jingle Bells, etc.), and write a program so that the song can be played by ATARI. (HINT—Use this formula and set in the proper Notes, SOUND: 0, N, 10, 8. Later, vary the Voice, Tone, and Loudness to see what happens.)

2. Write a program so ATARI will play music that you have composed.



3. Rewrite the program so that Voice, then Tone, and then Loudness are altered. (Be careful when changing Loudness so that others around you are not disturbed.)

4. Rewrite the program so that ATARI plays Notes randomly. (HINT—drop the READ/DATA statements and use a LET statement to assign a random number to N.)





One of the most important aspects of producing good graphics, is being able to place the points and lines exactly where you want them. The key to doing so is to exactly locate a point by its column (X Coordinate) and row (Y Coordinate) position.

Use graph paper or the graphic screen illustrations that are on the next pages. Locate the following points on the Graphics 3 and Graphics 6 & 7 screens. Check your answers on ATARI. (Note — Although the two worksheet screens look similar, the numbering systems are different.)

#### Graphics 3

1, 10(shown)
10, 1 (shown)
0, 0
5, 19
0, 19
19, 16
39, 0
39, 19
15, 22
10, 24

### Graphics 7

1, 10(shown) 10, 1 (shown) 0, 0 5, 19 0, 19 0, 79 159, 0 159, 79 60, 40 76, 161 76, 197







1. Try modifying the above program by adding COLOR statements at various lines, and by changing some of the DRAWTO and PLOT statements.

2. GET several pieces of graph paper from your teacher, or a reuseable piece that has been laminated, and draw some pictures. Convert the drawings to programs, and try them on ATARI. (It's often easiest to begin with simple drawings for the Graphics 3 screen. Just be sure that you use the appropriate graph paper for the Graphics Mode you want to use.)



One of the most enjoyable aspects of graphics is the ability to draw pictures. The key to doing so is to lay out a drawing on graph paper, and then convert the graph dimensions to statements that ATARI can understand. Notice the following drawing.



Here's how the drawing can be programmed for ATARI to understand:

10 GRAPHICS 3 20 COLOR 3 30 PLOT 14,1 40 DRAWTO 14,10 50 DRAWTO 6,18 60 PLOT 16,1 70 DRAWTO 16,18 80 PLOT 17,1 90 DRAWTO 17,18 100 PLOT 19,1 110 DRAWTO 19,10 120 DRAWTO 27,18 130 ?`` ATARI COMPUTERS''

1. It takes a lot of practice to know all the graphic variations you can create with ATARI. Using the following program, experiment by changing the COLOR, GRAPHICS MODE, and SETCOLOR factors.

10 GRAPHICS 3
20 COLOR 1
30 FOR X=0 TO 15
40 SETCOLOR 0,X,2
50 PLOT 5,5
60 DRAWTO 25,5
70 FOR T=1 TO 600:NEXT T
80 ?:?:?X
90 NEXT X
100 END

2. Take some graphic programs you have already written, or make some new ones, and improve them by using the SETCOLOR statement.



One enjoyable aspect of graphics is animation —causing the graphics to move. Following is a program for some simple animation.

10 GRAPHICS 3 20 COLOR 1 30 FOR X=0 TO 39 STEP 3 35 ?#6; ESC SHIFT CLEAR '' 40 PLOT X,7 50 DRAWTO X,10 60 DRAWTO X+3,10 70 DRAWTO X+3,7 80 DRAWTO X,7 85 FOR T=1 TO 100:NEXT T 87 IF X> = 36 THEN GOTO 10 90 NEXT X

Here's what the program does. Lines 40 through 80 make a simple square graphic. The X Coordinate is not specified in these lines, but rather it is set as a variable X. Lines 30 and 90 make the X Coordinate as every third number between 0 and 39. These lines, along with 10 and 20, which determine the graphics mode and color, are the main part of this program. However, notice how the program was improved by adding some more lines after the program was first written. Line 85 is a "timer" so that the graphic remains momentarily on the screen. (Try changing this line for different effects.) Line 87 causes the program to repeat once the graphic has moved completely across the screen. Line 35 causes the screen to be cleared as the graphic starts over. (Remember, #6 must be used with a PRINT statement for the graphics screen!)

1. Run this program, and then modify some line statements to see how you can change the graphics and animation.

2. Use all the graphic techniques that you have learned to this point to make your own animated graphics.



Use what you know about a good game program to write the game programs described below.

1. It is more meaningful to the user when the computer calls him or her by name—it makes the interaction more personal.

Write a GUESS A NUMBER game program that asks the user's name and calls the user by name throughout the program.

- 1. THINK about the program
- 2. DATA TABLE



3. ALGORITHM



Using all the techniques you have learned for graphics, sound, and regular programming, create a fantastic light and sound show!

2. Revise the game program in #1 so a player must answer ``YES'' or ``NO'' in line 150.

If anything else is typed for INPUT, make ATARI print the question in LINE 140 again. This helps make the program GOOF PROOF.



### 4. Flow Chart

5. CODE



6. DEBUG7. REVISE

4. Add something to the game program in #3 so ATARI asks the user the top number in the range they wish to guess. (For example, 1 to \_\_\_\_?)

After the user types in the top number, use it in the RND function to create a random integer between l and the top number.

Hint: IF N = the top number THEN you would use this RND function: LET X = INT(N\*RND(1)+1)


3. Add something to the game program in #2 so ATARI tells the user how many tries it took before they guessed the correct number.

HINT: Use a COUNTER, C.

Set C at 0 before the first guess. After the first guess add 1 to the counter: C=C+1.

Then after each of the next guesses, make sure one more is added to the counter. When the correct number is guessed, make ATARI print IT TOOK YOU \_\_\_\_\_ GUESSES.



4. Flow Chart

5. CODE

6. DEBUG

7. REVISE

/

5. Make up a computer game that uses a die. Write a program using all of the good style techniques you've learned.

The RND function for the throw of your die must choose a random integer between 1 and 6.

### Example

- 1. THINK about the program.
- 2. DATA TABLE



3. ALGORITHM

4. Flow Chart

5. CODE



6. DEBUG7. REVISE

6. Create a computer program for any game you like. Include the five things every good game program should have. Try using animation. Be creative!

- 1. THINK about the program
- 2. DATA TABLE



3. ALGORITHM

### Down

- 1. X and Y positions are called
- 3. Write your program to be user-
- 5. A word meaning ``having no pattern or specific purpose:'' \_\_\_\_\_.
- 7. C. stands for the \_\_\_\_\_ statement.
- 9. ``Convert'' means to \_\_\_\_\_.
- 11. The function which creates whole numbers in a program: \_\_\_\_\_.
- 13. This stands for a random function:

### Across

- 2. The statement which tells ATARI to place a point on the screen at a certain location:
- 4. GR. stands for the \_\_\_\_\_\_statement.
- 6. The text \_\_\_\_\_ makes up the lower four lines of the screen in Graphics Mode.
- 8. We use this command when we want to hear ATARI:
- 10. The statement which tells ATARI to connect two points is \_\_\_\_\_.
- 12. If we want to change the color of our graphics or screen we must use the \_\_\_\_\_\_ statement.
- 14. Another name for a whole number is \_\_\_\_\_.

### **Evaluate Yourself**

1. Component 7 was \_\_\_\_\_\_ because \_\_\_\_\_\_

2. The best parts of the component were

3. The parts I liked the least were \_\_\_\_\_

4. The most valuable thing I learned in this component was \_\_\_\_\_\_

Other comments:

# **COMPONENT 7 FUN PAGE**



## MORE HELPFUL WORDS FOR YOU from dilithium Press

### Instant (Freeze-Dried Computer Programming in) BASIC—2nd Astounding! Edition

Jerald R. Brown

Here is an active, easy, painless way to learn BASIC. This primer and workbook gives you a fast, working familiarity with the real basics of BASIC. It is one of the smoothest and best-tested instructional sequences going!

ISBN 0-918398-57-6

\_\_\_\_\_

200 pages

Are You Computer Literate?

Karen Billings and David Moursund

This is a fun introduction to computers for the real novice. Written by educators, this is a book that teaches the capabilities, limitations, applications and implications of computers.

ISBN 0-918398-29-0

160 pages

### An Apple<sup>®</sup> For Kids / A PET<sup>®</sup> For Kids

Sharon Boren

A fresh, instructive, fun approach to teaching kids programming and computer operation. Written by a teacher, these books teach good programming skills with a focus on problem solving, improved thinking skills and creativity.

A PET® For Kids: ISBN 0-88056-106-8148 pagesAn Apple® For Kids: ISBN 0-88056-119-X148 pagesClassroom Activity Workbook and Teachers Manual also available.

### **Computers, Teaching and Learning**

Jerry Willis, D. Lamont Johnson and Paul Dixon

For the educator interested in using computers or the computer-user interested in educational applications, this book covers most of the important topics of concern to the educational environment.

ISBN 0-88056-065-7	200 pages	

**BRAINFOOD** — Our catalog listing of over 130 microcomputer books covering software, hardware, business applications, general computer literacy and programming languages.

**Gilithium Press** books are available at your local bookstore or computer store. If there is not a bookstore or computer store in your area, charge your order on VISA or MC by calling our toll-free number, (800) 547-1842.

#### Send to: dilithium Press, P.O. Box E, Beaverton, OR 97075

Please send me the book(s) I have checked. I understand that if I'm not fully satisfied I can return the book(s) within 10 days for full and prompt refund.

<ul> <li>Instant (Freeze-Dried Computer Programming in) BASIC—2nd Astounding! Edition</li> <li>Are You Computer Literate?</li> </ul>	<ul> <li>A Pet<sup>®</sup> For Kids</li> <li>An Apple<sup>®</sup> For Kids</li> <li>Computers, Teaching and Learning</li> </ul>	
Check enclosed \$ Payable to dilithium Press	Please charge my VISA  MASTERCHARGE	
Name	# Exp. Date	
Address	Signature	
City, State, Zip	Send me your catalog, Brainfood.	





dP

\$9.95



<ul> <li>Yes, send me your free catalog, BRAIN FOOD, which lists over 150 microcompu- ter books covering software, hardware, business applications, general computer literacy and programming languages.</li> </ul>	FREE CATALOG FREE CATALOG FREE CATA LOG FREE CATALOG FREE CATALOG FREE CATALOG FREE CATA LOG FREE CATALOG
ADDRESS	FREE CATALOG FREE CATALOG FREE CATA
	LOG FREE CATALOG
CITY, STATE, ZIP	FREE CATALOG FREE CATALOG FREE CATA
	LOG FREE CATALOG
	FREE CATALOG FREE CATALOG FREE CATA
□ Yes, send me your free catalog, BRAIN	LOG FREE CATALOG
FOOD, which lists over 150 microcompu-	
ter books covering software, hardware,	Mail To:
business applications, general computer	
	dilithium Press
literacy and programming languages.	P.O. Box E Beaverton, OR 97075
	Deaverton, ON 37073
	Or Call:
NAME	800-547-1842
ADDRESS	
CITY, STATE, ZIP	FREE CATALOG FREE
	CATALOG FREE CATA
	FREE CATALOG FREE
Vec. cond me your free cotales. DDAIN	LOG FREE CATA
□ Yes, send me your free catalog, BRAIN	FREE CATALOG FREE
FOOD, which lists over 150 microcompu-	CATALOG FREE CATA
ter books covering software, hardware,	FREE CATALOG FREE
business applications, general computer	CATALOG FREE CATA
literacy and programming languages.	FREE CATALOG FREE
	CATALOG FREE CATA LOG FREE CATALOG
	FREE CATALOG FREE CATALOG FREE CATA
	LOG FREE CATALOG
NAME	FREE CATALOG FREE CATALOG FREE CATA
ADDRESS	LOG FREE CATALOG
	FREE CATALOG FREE CATALOG FREE CATA
CITY, STATE, ZIP	LOG FREE CATALOG FREE CATALOG FREE

•

This workbook is an excellent tool for teaching children how to program a microcomputer in BASIC. It's an individualized, self-paced approach that accompanies the book AN ATARI FOR KIDS. Most activities in this workbook can be done without a computer, so can be used as seatwork (solving the problem of 1 computer and 25 students). Written approximately at the 4th grade reading level, this workbook: Includes worksheets to go along with each chapter of AN ATARI FOR KIDS Approaches programming in a fresh, fun way Is easy for kids to understand Contains illustrations interesting to kids Provides practice and reinforcement for programming skills your students learn Has activities that focus on problem solving, improved thinking skills and creativity Concludes each unit with fun pages that test your students' learning progress AN ATARI FOR KIDS and AN ATARI IN THE CLASSROOM: Teacher's Guide also available. MARTY URMAN 1983

